Title Index of Volume 35, 1997

Volume 35, Number 1

Determination of Nonvolatile Organic Carbon in Aquifer Solids After Carbonate Removal by Sulfurous Acid, by G. Heron, M.J. Barcelona, M.L. Andersen, and T.H. Christensen; 6-11.

Potential for Intrinsic Bioremediation of a DNT-Contaminated Aquifer, by P.M. Bradley, F.H. Chapelle, J.E. Landmeyer, and J.G. Schumacher; 12-17.

Modeling the Response of a Karstic Spring at Arteta Aquifer in Spain, by T. Estrala and A. Sahuquillo; 18-24.

The Different Characteristics of Aquifer Parameters and Their Implications on Pumping-Test Analysis, by J.J. Jiao and C. Zheng; 25-29.

PMFCT-2D: A Transport Simulator for Various Grid Peclet Numbers, by N.J. Aimo and M. Oostrom; 30-38.

Contamination from Sand-Bentonite Seal in Monitoring Wells Installed in Aquitards, by V.H. Remeda and G. van der Kamp; 39-46.

The Point Eidothermometric Method in the Study of Coastal Aquifers, by G.C. Calò and R. Tinelli; 47-52.

Origin of Subsurface Brines in the Sichuan Basin, by Zhou Xun, Li Cijun, Ju Xiumin, Du Qiang, and Tong Lihong; 53-58.

Numerical Ground-Water Flow Modeling of the Snake River Plain Aquifer Using the Superposition Technique, by J.M. Hubbell, C.W. Bishop, G.S. Johnson, and J.G. Lucas; 59-66.

A Direct Substitution Method for Multicomponent Solute Transport in Ground Water, by H. Shen and N.P. Nikolaidis; 67-78.

Incorporating Auxiliary Geophysical Data into Ground-Water Flow Parameter Estimation, by G. Cassiani and M.A. Medina Jr.; 79-91

Capture Zones for Passive Wells in Heterogeneous Unconfined Aquifers, by B.E. Cole and S.E. Silliman; 92-98.

Numerical Simulation of Air Sparging for Remediation of NAPL Contamination, by J.E. McCray and R.W. Falta; 99-110.

A Framework for Assessing Risk Reduction Due to DNAPL Mass Removal from Low-Permeability Soils, by R.A. Freeze and D.B. McWhorter; 111-123.

Organic Carbon Dominated Trichloroethene Sorption in a Clay-Rich Glacial Deposit, by R.M. Allen-King, L.D. McKay, and M.R. Trudell; 124-130.

On the Strategy of Estimating Regional-Scale Transmissivity Fields, by Steen Christensen; 131-139.

Verifying the Integrity of Annular and Back-Filled Seals for Vadose-Zone Monitoring Wells, by F.M. Dunnivant, I. Porro, C. Bishop, J. Hubbell, J.R. Giles, and M.E. Newman; 140-148.

Distinguishing Natural Hydrocarbons from Anthropogenic Contamination in Ground Water, by S. Lesage, Hao Xu, and K.S. Novakowski; 149-160.

A Method for Evaluation of Artificial Recharge Through Percolation Tanks Using Environmental Chloride, by B.S. Sukhija, D.V. Reddy, M.V. Nandakumar, and Rama; 161-165.

Ambiguity in Measuring Matrix Diffusion with Single-Well Injection/Recovery Tracer Tests, by S.C. Lessoff and L.F. Konikow; 166-176.

Volume 35, Number 2

An Outline of a Guidance Framework for Assessing Hydrogeological Risks at Early Stages, by L. Rosen and H.E. LeGrand; 195-204.

Transient Ground-Water Flow Simulation Using a Fuzzy Set Approach, by C. Dou, W. Woldt, M. Dahab, and I. Bogardi; 205-215.

Geoelectrical and Hydrochemical Studies for Delineating Ground-Water Contamination Due to Salt-Water Intrusion in the Northern Part of the Nile Delta, Egypt, by A.-A.M. Ebraheem, M.M. Senosy, and K.A. Dahab; 216-222.

Use of Solute Chemistry and Isotopes to Identify Sources of Ground-Water Recharge in the Nile Aquifer System, Upper Egypt, by M.A. Awad, N.E. El Arabi, and M.S. Hamza; 223-228.

Potential Inaccuracies in MODFLOW Simulations Involving the SIP and SSOR Methods for Matrix Solution, by J.L. Osiensky and R.E. Williams; 229-232.

Analytical Mass Leaching Model for Contaminated Soil and Soil Stabilized Waste, by C.D. Shackelford and M.J. Glade; 233-242.

Ground-Water Solute Transport with Hydrogeochemical Reactions, by R.A. Garcia-Delgado and A.D. Koussis; 243-249.

Inverse Models: A Necessary Next Step in Ground-Water Modeling, by E.P. Poeter and M.C. Hill; 250-260.

Influence of Viscous, Gravitational, and Capillary Forces on DNAPL Saturation, by H.E. Dawson and P.V. Roberts; 261-269.

Development and Testing of a Kinetic Model for Oxygen Transport in Porous Media in the Presence of Trapped Gas, by J.H. Donaldson, J.D. Istok, M.D. Humphrey, K.T. O'Reilly, C.A. Hawelka, and D.H. Mohr; 270-279.

A Semianalytical Model to Predict Recovery of Light, Nonaqueous Phase Liquids from Unconfined Aquifers, by D.W. Waddill and J.C. Parker; 280-290.

Estimating Ground-Water Recharge from Streamflow Hydrographs for a Small Mountain Watershed in a Temperate Humid Climate, New Hampshire, U.S.A., by D.P. Mau and T.C. Winter; 291-304.

Site-Specific Variability in BTEX Biodegradation Under Denitrifying Conditions, by C.-M. Kao and R.C. Borden; 305-311.

Analytic Modeling of Impermeable and Resistant Barriers, by C.R. Fitts; 312-317.

The Role of Bedding Fractures in the Hydrogeology of Sedimentary Bedrock — Evidence from the Newark Basin, New Jersey, by A. Michalski and R. Britton; 318-327.

Fractured-Aquifer Hydrogeology from Geophysical Logs; the Passaic Formation, New Jersey, by R.H. Morin, G.B. Carleton, and S. Poirier; 328-338.

Plume Distortion and Apparent Attenuation Due to Concentration Averaging in Monitoring Wells, by J.M. Martin-Hayden and G.A. Robbins; 339-346.

Saratoga Springs and Early Hydrogeochemistry in the United States, by S.N. Davis and A.G. Davis; 347-356.

Correcting for Diffusion in Carbon-14 Dating of Ground Water, by W.E. Sanford; 357-361.

Computer Notes — DurovPlot: A Computer Program for Processing and Plotting Hydrochemical Data, by A.M. Al-Bassam, H.S. Awad, and J.A. Al-Alawi; 362-367.

Computer Notes — Implementing Spatially Variable Anisotropy in MODFLOW, by M.P. Kladias and G.J. Ruskauff; 368-370.

Technical Notes — Application of a Numerical Model in the Interpretation of a Leaky Aquifer Test, by B. Schroth and T.N. Narasimhan; 371-375.

Volume 35, Number 3

Quantifying the Effects of Well Development in Unconsolidated Material, by G. Wendling, R.P. Chapuis, and D.E. Gill; 387-393.

Comparison of Neutron Moisture Gauges and a Neutron Tool for Use in Monitoring Wells, by C.W. Bishop and I. Porro; 394-399.

Design of a Ground-Water Extraction/Reinjection System at a Superfund Site Using MODFLOW, by A.C. Bumb, J.T. Mitchell, and S.K. Gifford; 400-408.

Delineating the Chemical Composition of the Salinity Source for Saline Ground Waters: An Example from East-Central Concordia Parish, Louisiana, by R.K. Stoessell; 409-417.

Mobile NAPL Recovery: Conceptual, Field, and Mathematical Considerations, by T. Sale and D. Applegate; 418-426.

Statistical Evaluation of the Vulnerability of Ground-Water Wells, a Case Study of Data from the Strasbourg Polygone Pumping Field, by Ph. Jamet, P.D. Sampson, and F. Vincent; 427-435.

Electrical Imaging of Fractures Using Ground-Water Salinity Change, by L.D. Slater, A. Binley, and D. Brown; 436-442.

Borehole Flowmeter Application in Fluvial Sediments: Methodology, Results, and Assessment, by G.K. Boman, F.J. Molz, and K.D. Boone; 443-450.

Definition of a Critical Confining Zone Using Surface Geophysical Methods, by C.A. Eddy-Dilek, B.B. Looney, P. Hoekstra, N. Harthill, M. Blohm, and D.R. Phillips; 451-462.

The Theis Solution in Heterogeneous Aquifers, by S.E. Serrano; 463-467.

A Stochastic-Analytical Framework for Safety Assessment of Waste Repositories: 1. Theory, by J.-O. Selroos; 468-477.

Title Index of Volume 35, 1997

Volume 35, Number 1

Determination of Nonvolatile Organic Carbon in Aquifer Solids After Carbonate Removal by Sulfurous Acid, by G. Heron, M.J. Barcelona, M.L. Andersen, and T.H. Christensen; 6-11.

Potential for Intrinsic Bioremediation of a DNT-Contaminated Aquifer, by P.M. Bradley, F.H. Chapelle, J.E. Landmeyer, and J.G. Schumacher; 12-17.

Modeling the Response of a Karstic Spring at Arteta Aquifer in Spain, by T. Estrala and A. Sahuquillo; 18-24.

The Different Characteristics of Aquifer Parameters and Their Implications on Pumping-Test Analysis, by J.J. Jiao and C. Zheng; 25-29.

PMFCT-2D: A Transport Simulator for Various Grid Peclet Numbers, by N.J. Aimo and M. Oostrom; 30-38.

Contamination from Sand-Bentonite Seal in Monitoring Wells Installed in Aquitards, by V.H. Remeda and G. van der Kamp; 39-46.

The Point Eidothermometric Method in the Study of Coastal Aquifers, by G.C. Calò and R. Tinelli; 47-52.

Origin of Subsurface Brines in the Sichuan Basin, by Zhou Xun, Li Cijun, Ju Xiumin, Du Qiang, and Tong Lihong; 53-58.

Numerical Ground-Water Flow Modeling of the Snake River Plain Aquifer Using the Superposition Technique, by J.M. Hubbell, C.W. Bishop, G.S. Johnson, and J.G. Lucas; 59-66.

A Direct Substitution Method for Multicomponent Solute Transport in Ground Water, by H. Shen and N.P. Nikolaidis; 67-78.

Incorporating Auxiliary Geophysical Data into Ground-Water Flow Parameter Estimation, by G. Cassiani and M.A. Medina Jr.; 79-91

Capture Zones for Passive Wells in Heterogeneous Unconfined Aquifers, by B.E. Cole and S.E. Silliman; 92-98.

Numerical Simulation of Air Sparging for Remediation of NAPL Contamination, by J.E. McCray and R.W. Falta; 99-110.

A Framework for Assessing Risk Reduction Due to DNAPL Mass Removal from Low-Permeability Soils, by R.A. Freeze and D.B. McWhorter; 111-123.

Organic Carbon Dominated Trichloroethene Sorption in a Clay-Rich Glacial Deposit, by R.M. Allen-King, L.D. McKay, and M.R. Trudell; 124-130.

On the Strategy of Estimating Regional-Scale Transmissivity Fields, by Steen Christensen; 131-139.

Verifying the Integrity of Annular and Back-Filled Seals for Vadose-Zone Monitoring Wells, by F.M. Dunnivant, I. Porro, C. Bishop, J. Hubbell, J.R. Giles, and M.E. Newman; 140-148.

Distinguishing Natural Hydrocarbons from Anthropogenic Contamination in Ground Water, by S. Lesage, Hao Xu, and K.S. Novakowski; 149-160.

A Method for Evaluation of Artificial Recharge Through Percolation Tanks Using Environmental Chloride, by B.S. Sukhija, D.V. Reddy, M.V. Nandakumar, and Rama; 161-165.

Ambiguity in Measuring Matrix Diffusion with Single-Well Injection/Recovery Tracer Tests, by S.C. Lessoff and L.F. Konikow; 166-176.

Volume 35, Number 2

An Outline of a Guidance Framework for Assessing Hydrogeological Risks at Early Stages, by L. Rosen and H.E. LeGrand; 195-204.

Transient Ground-Water Flow Simulation Using a Fuzzy Set Approach, by C. Dou, W. Woldt, M. Dahab, and I. Bogardi; 205-215.

Geoelectrical and Hydrochemical Studies for Delineating Ground-Water Contamination Due to Salt-Water Intrusion in the Northern Part of the Nile Delta, Egypt, by A.-A.M. Ebraheem, M.M. Senosy, and K.A. Dahab; 216-222.

Use of Solute Chemistry and Isotopes to Identify Sources of Ground-Water Recharge in the Nile Aquifer System, Upper Egypt, by M.A. Awad, N.E. El Arabi, and M.S. Hamza; 223-228.

Potential Inaccuracies in MODFLOW Simulations Involving the SIP and SSOR Methods for Matrix Solution, by J.L. Osiensky and R.E. Williams; 229-232.

Analytical Mass Leaching Model for Contaminated Soil and Soil Stabilized Waste, by C.D. Shackelford and M.J. Glade; 233-242.

Ground-Water Solute Transport with Hydrogeochemical Reactions, by R.A. Garcia-Delgado and A.D. Koussis; 243-249.

Inverse Models: A Necessary Next Step in Ground-Water Modeling, by E.P. Poeter and M.C. Hill; 250-260.

Influence of Viscous, Gravitational, and Capillary Forces on DNAPL Saturation, by H.E. Dawson and P.V. Roberts; 261-269.

Development and Testing of a Kinetic Model for Oxygen Transport in Porous Media in the Presence of Trapped Gas, by J.H. Donaldson, J.D. Istok, M.D. Humphrey, K.T. O'Reilly, C.A. Hawelka, and D.H. Mohr; 270-279.

A Semianalytical Model to Predict Recovery of Light, Nonaqueous Phase Liquids from Unconfined Aquifers, by D.W. Waddill and J.C. Parker; 280-290.

Estimating Ground-Water Recharge from Streamflow Hydrographs for a Small Mountain Watershed in a Temperate Humid Climate, New Hampshire, U.S.A., by D.P. Mau and T.C. Winter; 291-304.

Site-Specific Variability in BTEX Biodegradation Under Denitrifying Conditions, by C.-M. Kao and R.C. Borden; 305-311.

Analytic Modeling of Impermeable and Resistant Barriers, by C.R. Fitts; 312-317.

The Role of Bedding Fractures in the Hydrogeology of Sedimentary Bedrock — Evidence from the Newark Basin, New Jersey, by A. Michalski and R. Britton; 318-327.

Fractured-Aquifer Hydrogeology from Geophysical Logs; the Passaic Formation, New Jersey, by R.H. Morin, G.B. Carleton, and S. Poirier; 328-338.

Plume Distortion and Apparent Attenuation Due to Concentration Averaging in Monitoring Wells, by J.M. Martin-Hayden and G.A. Robbins; 339-346.

Saratoga Springs and Early Hydrogeochemistry in the United States, by S.N. Davis and A.G. Davis; 347-356.

Correcting for Diffusion in Carbon-14 Dating of Ground Water, by W.E. Sanford; 357-361.

Computer Notes — DurovPlot: A Computer Program for Processing and Plotting Hydrochemical Data, by A.M. Al-Bassam, H.S. Awad, and J.A. Al-Alawi; 362-367.

Computer Notes — Implementing Spatially Variable Anisotropy in MODFLOW, by M.P. Kladias and G.J. Ruskauff; 368-370.

Technical Notes — Application of a Numerical Model in the Interpretation of a Leaky Aquifer Test, by B. Schroth and T.N. Narasimhan; 371-375.

Volume 35, Number 3

Quantifying the Effects of Well Development in Unconsolidated Material, by G. Wendling, R.P. Chapuis, and D.E. Gill; 387-393.

Comparison of Neutron Moisture Gauges and a Neutron Tool for Use in Monitoring Wells, by C.W. Bishop and I. Porro; 394-399.

Design of a Ground-Water Extraction/Reinjection System at a Superfund Site Using MODFLOW, by A.C. Bumb, J.T. Mitchell, and S.K. Gifford; 400-408.

Delineating the Chemical Composition of the Salinity Source for Saline Ground Waters: An Example from East-Central Concordia Parish, Louisiana, by R.K. Stoessell; 409-417.

Mobile NAPL Recovery: Conceptual, Field, and Mathematical Considerations, by T. Sale and D. Applegate; 418-426.

Statistical Evaluation of the Vulnerability of Ground-Water Wells, a Case Study of Data from the Strasbourg Polygone Pumping Field, by Ph. Jamet, P.D. Sampson, and F. Vincent; 427-435.

Electrical Imaging of Fractures Using Ground-Water Salinity Change, by L.D. Slater, A. Binley, and D. Brown; 436-442.

Borehole Flowmeter Application in Fluvial Sediments: Methodology, Results, and Assessment, by G.K. Boman, F.J. Molz, and K.D. Boone; 443-450.

Definition of a Critical Confining Zone Using Surface Geophysical Methods, by C.A. Eddy-Dilek, B.B. Looney, P. Hoekstra, N. Harthill, M. Blohm, and D.R. Phillips; 451-462.

The Theis Solution in Heterogeneous Aquifers, by S.E. Serrano; 463-467.

A Stochastic-Analytical Framework for Safety Assessment of Waste Repositories: 1. Theory, by J.-O. Selroos; 468-477.

Quantification of Ground-Water Flow in Fractured Rock, Oak Ridge, Tennessee, by G.K. Moore; 478-482.

The Use of Upward Hydraulic Gradients to Arrest Downward DNAPL Migration in Rock Fractures, by J.C. Chown, B.H. Kueper, and D.B. McWhorter; 483-491.

Analyses of Slug Tests and Hydraulic Conductivity Variations in the Near Field of a Two-Well Tracer Experiment Site, by J. Mas-Pla, T.-C. J. Yeh, T.M. Williams, and J.F. McCarthy; 492-501.

Identifying and Removing Barometric Pressure Effects in Confined and Unconfined Aquifers, by T.C. Rasmussen and L.A. Crawford; 502-511.

Effects of Unsaturated Zone on Aquifer Test Analysis in a Shallow-Aquifer System, by K.J. Halford; 512-522.

Patterns and Age Distribution of Ground-Water Flow to Streams, by E. Modica, T.E. Reilly, and D.W. Pollock; 523-537.

Study on the Containment of Fracture-Karst Water in Boshan District, China, by X.-Y. Zhu, S.-H. Xu, J.-J. Zhu, N.-Q. Zhou and C.-Y. Wu; 538-545.

Computer Notes — Computer Determination of Aquifer Parameters Using Slope Matching, by R. Pittenger and J.S. Reichard; 546-550.

Volume 35, Number 4

Model Simulations In Support of Field Scale Design and Operation of Bioremediation Based on Cometabolic Degradation, by M.M. Lang, P.V. Roberts, and L. Semprini; 565-573.

The Role of Sorption in the Transport of Klebsiella oxytoca *Through Saturated Silica Sand,* by M.J. Hendry, J.R. Lawrence, and P. Malossewski; 574-584.

Electromagnetic Investigations of Aquifers in the Grand Brule Coastal Area of Piton de la Fournaise Volcano, Reunion Island, by B. Robineau, M. Ritz, M. Courteaud, and M. Descloitres; 585-592.

Alternative Spatial Estimators for Ground-Water and Soil Measurements, by D.D. Walker, and J.C. Loftis; 593-601.

Modeling Axially Symmetric and Nonsymmetric Flow to a Well with MODFLOW, and Application to Goddard2 Well Test, Boise, Idaho, by W. Barrash and M.E. Dougherty; 602-611.

The Problem of Modeling Limestone Springs: The Case of Bagnara (North Apennines, Italy), by P. Angelini and W. Dragoni; 612-618.

Single-Well, "Push-Pull" Test for In Situ Determination of Microbial Activities, by J.D. Istok, M.D. Humphrey, M.H. Schroth, M.R. Hyman, and K.T. O'Reilly; 619-631.

Detailed Pumping Test to Characterize a Fractured Bedrock Aquifer, by J.D. Gernand and J.P. Heldiman; 632-637.

On the Performance of Computational Methods for the Assessment of Risk from Ground-Water Contamination, by M.M. Hamed and P.B. Bedient; 638-646.

Evidence for Ground-Water Circulation in the Brine-Filled Aquitard, Oak Ridge, Tennessee, by R. Nativ, A. Halleran, and A. Hunley; 647-659.

Hydrogeology and Paleohydrology of Ancient Machu Picchu, by K.R. Wright, G.D. Witt, and A.V. Zegarra; 660-666.

Water-Level Fluctuations Due to Barometric Pressure Changes in an Isolated Portion of an Unconfined Aquifer, by P.W. Hare and R.E. Morse; 667-671.

Composite Recovery Type Curves in Normalized Time from Theis' Exact Solution, by Daniel J. Goode; 672-678.

Occurrence of Selected Herbicides and Herbicide Degradation Products in Iowa's Ground Water, 1995, by D.W. Kolpin, S.J. Kalkhoff, D.A. Goolsby, D.A. Sneck-Fahrer, and E.M. Thurman; 679-688.

Comparison of Models for Delineating Wellhead Protection Areas in Confined to Semiconfined Aquifers in Alluvial Basins, by C.B. Forster, T.E. Lachmar, and D.S. Oliver; 689-697.

Two-Well Test Method for Determining Hydraulic Properties of Aquifers, by T.P. Clement, M.J. Truex, and B.S. Hooker; 698-703.

Modeling Sea-Water Intrusion with Open Boundary Conditions, by F. Padilla and J. Cruz-Sanjulian; 704-712.

Experimental Evaluation of a Drive-Point Ground-Water Sampler for Hydraulic Conductivity Measurement, by D.M. Scaturo and M.A. Widdowson; 713-720.

Computer Notes — NCF: A Finite-Element Computer Program to Simulate Ground-Water Flow Within the U.S. Geological Survey Modular Ground-Water Flow Model (MODFLOW), by Michael A. Jones; 721-723.

Volume 35, Number 5

Determination of Transmissivity from Specific Capacity Tests in a Karst Aquifer, by Robert E. Mace; 738-742.

Using Water-Supply Wells to Investigate Vertical Ground-Water Quality, by R.J. Collar and P.A. Mock; 743-750.

Utilization of the Hantush Solution for the Simultaneous Determination of Aquifer Parameters, by Xunhong Chen and J.F. Ayers; 751-756.

Optimal Remediation Policy Selection under General Conditions, by M. Wang and C. Zheng; 757-764.

An Assessment of Conventional In Situ Air Sparging Pilot Tests, by P.C. Johnson, R.L. Johnson, C. Neaville, E.E. Hansen, S.M. Stearns, and I.J. Dortch; 765-774.

A Stochastic-Analytical Framework for Safety Assessment of Waste Repositories: 2. Application, by Jan-Olof Selroos; 775-785.

Simulation of Regional Flow and Salinity Intrusion in an Integrated Stream-Aquifer System in Coastal Region: Southwest Region of Bangladesh, by N. Nobi and A. Das Gupta; 786-796.

Using the Deconvolution Approach for Slug Test Analysis: Theory and Application, by C. Chakrabarty and C. Enachescu; 797-806.

Delineation of Ground-Water Flow Systems in the Southern Great Basin Using Aqueous Rare Earth Element Distributions, by K.H. Johannesson, K.J. Stetzenbach, V.F. Hodge, D.K. Kreamer, and X. Zhou; 807-819.

Probabilistic Multiphase Flow Modeling Using the Limit-State Method, by Y. Xiang and S. Mishra; 820-824.

Ground-Water Sampling and Time-Series Evaluation Techniques to Determine Vertical Concentration Distributions, by Douglas J. Cosler; 825-841.

Effects of Anisotropy on the Capture Zone of a Partially Penetrating Well, by Vitaly A. Zlotnik; 842-847.

Closed-Form Expressions for Water Retention and Conductivity Data, by F.J. Leij, W.B. Russell, and S.M. Lesch; 848-858.

Climatic Control of Hydraulic Conductivity of Bahamian Limestones, by F.F. Whitaker and P.L. Smart; 859-868.

Confidence Intervals for Ground-Water Models Using Linearization, Likelihood, and Bootstrap Methods, by Richard L. Cooley; 869-880.

Transmissivity in the Geothermal Euganean Basin: A Geostatistical Analysis, by Paolo Fabbri; 881-887.

Ground-Water Exploration Based on Lineament Analysis and Reproducibility Tests, by P. Sander, T.B. Minor, and M.M. Chesley; 888-894.

Simulating Reservoir Leakage in Ground-Water Models, by J.P. Fenske, S.A. Leake, and D.E. Prudic; 895-897.

Tracing Recharge from Sinking Streams over Spatial Dimensions of Kilometers in a Karst Aquifer, by Earl A. Greene; 898-904.

Tritium/^{3}He Dating of River Infiltration: An Example from the Danube in the Szigetkoz Area, Hungary, by M. Stute, J. Deak, K. Révész, J.K. Böhike, É. Deseö, R. Weppernig, and P. Schlosser; 905-911.

Computer Notes — GIBBTEQ: A MINTEQA2 Thermodynamic Data Error Detection Program, by S.J. Onysko and R.L. McNearny; 912-914.

Volume 35, Number 6

Wellbore Skin Effect in Slug-Test Data Analysis for Low-Permeability Geologic Materials, by Y. Jeffery Yang and Todd M. Gates; 931-937.

Simulated Recovery of Light, Nonaqueous Phase Liquid from Unconfined Heterogeneous Aquifers, by Dan W. Waddill and Jack C. Parker; 938-947.

Surfactant Remediation Field Demonstration Using a Vertical Circulation Well, by R.C. Knox, D.A. Sabatini, J.H. Harwell, R.E. Brown, C.C. West, F. Blaha, and C. Griffin; 948-953.

Design of a Surfactant Remediation Field Demonstration Based on Laboratory and Modeling Studies, by D.A. Sabatini, R.C. Knox, J.H. Harwell, T. Soerens, L. Chen, R.E. Brown, and C.C. West; 954-963.

Sensitivity Models and Design Protocol for Partitioning Tracer Tests in Alluvial Aquifers, by M. Jin, G.W. Butler, R.E. Jackson, P.E. Mariner, J.F. Pickens, G.A. Pope, C.L. Brown, and D.C. McKinney; 964-972.

Biofouling of Contaminated Ground-Water Recovery Wells: Characterization of Microorganisms, by Stewart W. Taylor, Clifford R. Lange, and Elizabeth A. Lesold; 973-980.

Interaction of Lake Michigan with a Layered Aquifer Stressed by Drainage, by Douglas S. Cherkauer and Douglas A. Carlson; 981-989.

Delineation of Preferred-Flow Paths by Response to Transient Lagoon Exfiltration, by Joseph J. Donovan and Kevin W. Frysinger; 990-996.

EPM Modeling of a Field-Scale Tritium Tracer Experiment in Fractured, Weathered Shale, by L.D. McKay, P.L. Stafford, and L.E. Toran; 997-1007.

A New Time Domain Random Walk Method for Solute Transport in 1-D Heterogeneous Media, by Olivier Banton, Frédérick Delay, and Gilles Porel; 1008-1013.

Use of Chemical and Isotopic Tracers to Characterize the Interactions Between Ground Water and Surface Water in Mantled Karst, by Brian G. Katz, Tyler B. Coplen, Thomas D. Bullen, and J. Hal Davis; 1014-1028.

Predicting the Probability of Elevated Nitrate Concentrations in the Puget Sound Basin: Implications for Aquifer Susceptibility and Vulnerability, by Anthony J. Tesoriero and Frank D. Voss; 1029-1039.

Capture Zone Geometry in a Fractured Carbonate Aquifer, by Robert K. Podgorney and Robert W. Ritzi Jr.; 1040-1049.

Multivariate Statisical Analysis of Environmental Monitoring Data, by D. Lauren Ross; 1050-1057.

Estimation of Basin-Wide Recharge Rates Using Spring Flow, Precipitation, and Temperature Data, by Eugenio Sanz Pérez; 1058-1065.

Estimation of α_L, Velocity, K_d and Confidence Limits from Tracer Injection Test Data, by James Broermann, R.L. Bassett, Edwin P. Weeks, and Mark Borgstrom; 1066-1076.

Diffusive Loss of Non-Aqueous Phase Organic Solvents from Idealized Fracture Networks in Geologic Media, by Beth L. Parker, David B. McWhorter, and John A. Cherry; 1077-1088.

Cost-Effective Monitoring Strategies to Estimate Mean Water Table Depth, by H.E. Mew Jr., M.A. Medina Jr., R.C. Heath, K.H. Reckhow, and T.L. Jacobs; 1089-1096.

Quantifying Macropore Recharge: Examples from a Semi-Arid Area, by Warren W. Wood, Ken A. Rainwater, and David B. Thompson, 1097-1106.

New Books

Aqueous Environmental Geochemistry, by Donald Langmuir. Reviewed by D. Kirk Nordstrom, v. 35, no. 5: 919.

Aquifer Test Analysis with WINDOWS™ Software, by William C. Walton. Reviewed by Steve Germiat, v. 35, no. 4: 730.

Aquifer Test Analysis with WINDOWS™ Software, by William C. Walton. Reviewed by John H. Williams, v. 35, no. 4: 730-731.

Caves: Processes Development and Management, by David Gillieson. Reviewed by Derek Ford, v. 35, no. 6: 1110.

Chemical and Isotopic Groundwater Hydrology; The Applied Approach, by Emanuel Mazor. Reviewed by David P. Krabbenhoft, v. 35, no. 5: 920.

Ground Water Manual, prepared by the U.S. Bureau of Reclamation. Reviewed by Ralph C. Heath, v. 35, no. 3: 552.

Nitrates in Ground Water, by Larry A. Canter. Reviewed by Dennis Keeney, v. 35, no. 5: 919.

Pestcides in Ground Water; Distributions, Trends, and Governing Factors, by Jack E. Barbash and Elizabeth A. Resek. Reviewed by George Hallberg, v. 35, no. 5: 920-921.

Principles of Contaminant Hydrogeology, 2nd ed. by C.M. Palmer. Reviewed by Larry D. McKay, v. 35, no. 4: 731.

Quantitative Solutions in Hydrogeology and Groundwater Modeling, by Neven Kresic. Reviewed by Mary P. Anderson, v. 35, no. 5: 920.

Rock Fractures and Fluid Flow, edited by Jane Long. Reviewed by Kenzi Karasaki, v. 35, no. 5: 919.

Vadose Zone Hydrology, by D.B. Stephens. Reviewed by C.K. Keller, v. 35, no. 6: 1110.

Water Well and Aquifer Test Analyses, by Phil Hall with computer programs by Joe Chen. Reviewed by Marvin (Nick) Saines, v. 35, no. 3: 552-554.

Wetlands — Environmental Gradients, Boundaries, and Buffers, edited by G. Mulamoottil, B.G. Warner, and E.A. McBean. Reviewed by Randy J. Hunt, v. 35, no. 4: 731.

Software Spotlight

AquiferTest for Windows 2.51, by Waterloo Hydrogeologic. Reviewed by D.M. Diodato, I.D. Sasowsky, and S.P. Sayko, v. 35, no. 6: 1111-1112.

Department of Defense Groundwater Modeling System (GMS), as marketed by BOSS International. Reviewed by D.M. Diodato, J.A. Ewart, and R.B. Winston, v. 35, no. 4: 728-729.

Infinite Extent 4.0, by Starpoint Software. Reviewed by D.M. Diodato, I.D. Sasowsky, and S.P. Sayko, v. 35, no. 6: 1111-1112.

Micro-Fem v. 3.0, written by C.J. Hemker and G.J. Nijsten. Reviewed by David M. Diodato, Fritz Carlson, and Joseph Donovan, v. 35, no. 5: 922-923.

StepMaster 2.0, by Starpoint Software. Reviewed by D.M. Diodato, I.D. Sasowsky, and S.P. Sayko, v. 35, no. 6: 1111-1112.

Super Slug 3.0, by Starpoint Software. Reviewed by D.M. Diodato, I.D. Sasowsky, and S.P. Sayko, v. 35, no. 6: 1111-1112.

Discussion of Papers

Determination of Nonvolatile Organic Carbon in Aquifer Solids After Carbonate Removal by Sulfurous Acid, by G. Heron, M.J. Barcelona, M.L. Andersen, and T.H. Christensen (v. 35, no. 1: 6-11). Discussion by R.M. Allen-King, C.L. Albanese, and J.P. Martin, and Reply by authors, v. 35, no. 6: 1107-1108.

In Situ Hydraulic Conductivity of Clay and Silty-Clay Fluvial-Deltaic Sediments, Texas Gulf Coast, by R.M. Capuano and R.Z. Jan (v. 34, no. 4: 545-551). Discussion by Zhonghe Wang and Keith Clarey, and Reply by authors, v. 35, no. 1: 2-4.

Investigation of Possible Extra Recharge During Pumping in Nottingham Aquifer, by Jiu J. Jiao (v. 34, no. 5: 795-800). Discussion by M.W. Kawecki, and Reply by author, v. 35, no. 4: 562.

Multiple Tracers of Shallow Ground-Water Flow and Recharge in Hilly Loess, by R. O'Brien, C.K. Keller, and J.L. Smith (v. 34, no. 4: 675-682). Discussion by Bhaskar Joshi, and Reply by authors, v. 35, no. 4: 562-564.

Transport of Bromide and Other Inorganic Ions by Infiltrating Storm Water Beneath a Farmland Plot, by M.Z. Iqbal and N.C. Krothe (v. 34, no. 6: 972-978). Discussion by Robert S. Guthrie, and Reply by authors, v. 35, no. 4: 562-564.

Editorials

Are There Tax Dollars in Your Water? by Andrew W. Stone, v. 35, no. 3: 385.

Fluxes: A New Paradigm for Geologic Education? by Warren W. Wood, v. 35, no. 1: 1.

Managing Water Resources Systems: Why "Safe Yield" Is Not Sustainable, by Marios Sophocleous, v. 35, no. 4: 561.

Safe Yield and the Water Budget Myth, by John Bredehoeft, v. 35, no. 6: 929.

Tenure Now! by Warren W. Wood, v. 35, no. 2: 193.

To Boldly Go! by Warren W. Wood, v. 35, no. 5: 737.

Author Index of Volume 35, 1997

Aimo, N.J. and M. Oostrom. *PMFCT-2D: A Transport Simulator for Various Grid Peclet Numbers*. v. 35, no. 1, pp. 30-38.

Al-Bassam, A.M., H.S. Awad, and J.A. Al-Alawi. *Computer Notes—DurovPlot: A Computer Program for Processing and Plotting Hydrochemical Data*. v. 35, no. 2, pp. 362-367.

Allen-King, R.M., L.D. McKay, and M.R. Trudell. *Organic Carbon Dominated Trichloroethene Sorption in a Clay-Rich Glacial Deposit*. v. 35, no. 1, pp. 124-130.

Anderson, Mary P. Review of book, *Quantitative Solutions in Hydrogeology and Groundwater Modeling*, by Neven Kresic. v. 35, no. 5, p. 920.

Angelini, P. and W. Dragoni. *The Problem of Modeling Limestone Springs: The Case of Bagnara (North Apennines, Italy)*. v. 35, no. 4, pp. 612-618.

Awad, M.A., N.E. El Arabi, and M.S. Hamza. *Use of Solute of Chemistry and Isotopes to Identify Sources of Ground-Water Recharge in the Nile Aquifer System*, Upper Egypt. v. 35, no. 2, pp. 223-228.

Banton, Olivier, F. Delay, and G. Porel. *A New Time Domain Random Walk Method for Solute Transport in 1-D Heterogeneous Media*. v. 35, no. 6, pp. 1008-1013.

Barrash, W. and M.E. Dougherty. *Modeling Axially Symmetric and Nonsymmetric Flow to a Well with MODFLOW, and Application to Goddard2 Well Test, Boise, Idaho*. v. 35, no. 4, pp. 602-611.

Bishop, C.W. and I. Porro. *Comparison of Neutron Moisture Gauges and a Neutron Tool for Use in Monitoring Wells*. v. 35, no. 3, pp. 394-399.

Boman, G.K., F.J. Molz, and K.D. Boone. *Borehole Flowmeter Application in Fluvial Sediments: Methodology, Results, and Assessment*. v. 35, no. 3, pp. 443-450.

Bradley, P.M., F.H. Chapelle, J.E. Landmeyer, and J.G. Schumacher. *Potential for Intrinsic Bioremediation of a DNT-Contaminated Aquifer*. v. 35, no. 1, pp. 12-17.

Bredehoeft, John. Editorial—*Safe Yield and the Water Budget Myth*. v. 35, no. 6, p. 929.

Broermann, J., R.L. Bassett, E.P. Weeks, and M. Borgstrom. *Estimation of α_L, Velocity K_d and Confidence Limits from Tracer Injection Test Data*. v. 35, no. 6, pp. 1066-1076.

Bumb, A.C., J.T. Mitchell, and S.K. Gifford. *Design of a Ground-Water Extraction/Reinjection System at a Superfund Site Using MODFLOW*. v. 35, no. 3, pp. 400-408.

Calò, G.C. and R. Tinelli. *The Point Eidothermometric Method in the Study of Coastal Aquifers*. v. 35, no. 1, pp. 47-52.

Capuano, R.M. and R.Z. Jan. *In Situ Hydraulic Conductivity of Clay and Silty-Clay Fluvial-Deltaic Sediments, Texas Gulf Coast*. (v. 34, no. 3, pp. 545-551.) Discussion by Zhonghe Wang and Keith Clarey, and Reply by authors. v. 35, no. 1, pp. 2-4.

Cassiani, G. and M.A. Medina Jr. *Incorporating Auxiliary Geophysical Data into Ground-Water Flow Parameter Estimation*. v. 35, no. 1, pp. 79-91.

Chakrabarty, C. and C. Enachescu. *Using the Deconvolution Approach for Slug Test Analysis: Theory and Application*. v. 35, no. 5, pp. 797-806.

Chen, Xunhong and J.F. Ayers. *Utilization of the Hantush Solution for the Simultaneous Determination of Aquifer Parameters*. v. 35, no. 5, pp. 751-756.

Cherkauer, D.S. and D.A. Carlson. *Interaction of Lake Michigan with a Layered Aquifer Stressed by Drainage*. v. 35, no. 6, pp. 981-989.

Chown, J.C., B.H. Kueper, and D.B. McWhorter. *The Use of Upward Hydraulic Gradients to Arrest Downward DNAPL Migration in Rock Fractures*. v. 35, no. 3, pp. 483-491.

Christensen, Steen. *On the Strategy of Estimating Regional-Scale Transmissivity Fields*. v. 35, no. 1, pp. 131-139.

Clement, T.P., M.J. Truex, and B.S. Hooker. *Two-Well Test Method for Determining Hydraulic Properties of Aquifers*. v. 35, no. 4, pp. 698-703.

Cole, B.E. and S.E. Silliman. *Capture Zones for Passive Wells in Heterogeneous Unconfined Aquifers*. v. 35, no. 1, pp. 92-98.

Collar, R.J. and P.A. Mock. *Using Water-Supply Wells to Investigate Vertical Ground-Water Quality*. v. 35, no. 5, pp. 743-750.

Cooley, Richard L. *Confidence Intervals for Ground-Water Models Using Linearization, Likelihood, and Bootstrap Methods*. v. 35, no. 5, pp. 869-880.

Cosler, Douglas J. *Ground-Water Sampling and Time-Series Evaluation Techniques to Determine Vertical Concentration Distributions*. v. 35, no. 5, pp. 825-841.

Davis, S.N. and A.G. Davis. *Saratoga Springs and Early Hydrogeochemistry in the United States*. v. 35, no. 2, pp. 347-356.

Dawson, H.E. and P.V. Roberts. *Influence of Viscous, Gravitational, and Capillary Forces on DNAPL Saturation*. v. 35, no. 2, pp. 261-269.

Diodato, D.M., Fritz Carlson, and Joseph Donovan. Review of software, *Micro-Fem v. 3.0*, written by C.J. Hemker and G.J. Nijsten. v. 35, no. 5, pp. 922-923.

Diodato, D.M., J.A. Ewart, and R.B. Winston. Review of software, *Department of Defense Groundwater Modeling System (GMS)*, as marketed by BOSS International. v. 35, no. 4, pp. 728-729.

Donaldson, J.H., J.D. Istok, M.D. Humphrey, K.T. O'Reilly, C.A. Hawelka, and D.H. Mohr. *Development and Testing of a Kinetic Model for Oxygen Transport in Porous Media in the Presence of Trapped Gas*. v. 35, no. 2, pp. 270-279.

Donovan, J.J. and K.V. Frysinger. *Delineation of Preferred-Flow Paths by Response to Transient Lagoon Exfiltration*. v. 35, no. 6, pp. 990-996.

Dou, C., W. Woldt, M. Dahab, and I. Bogardi. *Transient Ground-Water Flow Simulation Using a Fuzzy Set Approach*. v. 35, no. 2, pp. 205-215.

Dunnivant, F.M., I. Porro, C. Bishop, J.Hubbell, J.R. Giles, and M.E. Newman. *Verifying the Integrity of Annular and Back-Filled Seals for Vadose-Zone Monitoring Wells*. v. 35, no. 1, pp. 140-148.

Ebraheem, A.-A.M., M.M. Senosy, and K.A. Dahab. *Geoelectrical and Hydrogeochemical Studies for Delineating Ground-Water Contamination Due to Salt-Water Intrusion in the Northern Part of the Nile Delta, Egypt*. v. 35, no. 2, pp. 216-222.

Eddy-Dilek, C.A., B.B. Looney, P. Hoekstra, N. Harthill, M. Blohm, and D.R. Phillips. *Definition of a Critical Confining Zone Using Surface Geophysical Methods*. v. 35, no. 3, pp. 451-462.

Estrela, T. and A. Sahuquillo. *Modeling the Response of a Karstic Spring at Arteta Aquifer in Spain*. v. 35, no. 1, pp. 18-24.

Fabbri, Paolo. *Transmissivity in the Geothermal Euganean Basin: A Geostatistical Analysis*. v. 35, no. 5, pp. 881-887.

Fenske, J.P., S.A. Leake, and D.E. Prudic. *Simulating Reservoir Leakage in Ground-Water Models*. v. 35, no. 5, pp. 895-897.

Fitts, Charles R. *Analytic Modeling of Impermeable and Resistant Barriers*. v. 35, no. 2, pp. 312-317.

Forster, C.B., T.E. Lachmar, and D.S. Oliver. *Comparison of Models for Delineating Wellhead Protection Areas in Confined to Semiconfined Aquifers in Alluvial Basins*. v. 35, no. 4, pp. 689-697.

Freeze, R.A. and D.B. McWhorter. *A Framework for Assessing Risk Reduction Due to DNAPL Mass Removal from Low-Permeability Soils*. v. 35, no. 1, pp. 111-123.

García-Delgado, R.A. and A.D. Koussis. *Ground-Water Solute Transport with Hydrogeochemical Reactions*. v. 35, no. 2. pp. 243-249.

Germiat, Steve. Review of book, *Aquifer Test Analysis with WINDOWS® Software*, by William C. Walton. v. 35, no. 4, p. 730.

Gernand, J.D. and J.P. Heidtman. *Detailed Pumping Test to Characterize a Fractured Bedrock Aquifer*. v. 35, no. 4, pp. 632-637.

Goode, Daniel J. *Composite Recovery Type Curves in Normalized Time from Theis' Exact Solution*. v. 35, no. 4, pp. 672-678.

Greene, Earl A. *Tracing Recharge from Sinking Streams over Spatial Dimensions of Kilometers in a Harst Aquifer*. v. 35, no. 5, pp. 898-904.

Guthrie, Robert S. Discussion of *Transport of Bromide and Other Inorganic Ions by Infiltrating Storm Water Beneath a Farmland Plot*, by M.S. Iqbal and N.C. Krothe. (v. 34, no. 6, pp. 972-978.) Reply by authors. v. 35, no. 4, pp. 562-564.

Halford, Keith J. *Effects of Unsaturated Zone on Aquifer Test Analysis in a Shallow-Aquifer System*. v. 35, no. 3, pp. 512-522.

Hallberg, George. Review of book, *Pesticides in Ground Water; Distribution, Trends, and Governing Factors*, by Jack E. Barbash and Elizabeth A. Resek. v. 35, no. 5, pp. 920-921.

Hamed, M.M. and P.B. Bedient. *On the Performance of Computational Methods for the Assessment of Risk from Ground-Water Contamination*. v. 35, no. 4, pp. 638-646.

Hare, P.W. and R.E. Morse. *Water-Level Fluctuations Due to Barometric Pressure Changes in an Isolated Portion of an Unconfined Aquifer*. v. 35, no. 4, pp. 667-671.

Heath, Ralph C. Review of book, *Ground Water Manual*, prepared by U.S. Bureau of Reclamation. v. 35, no. 3, p. 552.

Hendry, M.J., J.R. Lawrence, and P. Maloszewski. *The Role of Sorption in the Transport of* Klebsiella oxytoca *Through Saturated Silica Sand*. v. 35, no. 4, pp. 574-584.

Heron, G., M.J. Barcelona, M.L. Andersen, and T.H. Christensen. *Determination of Nonvolatile Organic Carbon in Aquifer Solids After Carbonate Removal by Sulfurous Acid*. v. 35, no. 1, pp. 6-11.

Hubbell, J.M., C.W. Bishop, G.S. Johnson, and J.G. Lucas. *Numerical Ground-Water Flow Modeling of the Snake River Plain Aquifer Using the Superposition Technique*. v. 35, no. 1, pp. 59-66.

Hunt, Randy J. Review of book, *Wetlands—Environmental Gradients, Boundaries and Buffers*, edited by G. Mulamoottil, B.G. Warner, and E.A. McBean. v. 35, no. 4, p. 731.

Iqbal, M.Z. and N.C. Krothe. *Transport of Bromide and Other Inorganic Ions by Infiltrating Storm Water Beneath a Farmland Plot*. (v. 34, no. 6, pp. 972-978.) Discussion by Robert S. Guthrie, and Reply by authors. v. 35, no. 4, pp. 562-564.

Istok, J.D., M.D. Humphrey, M.H. Schroth, M.R. Hyman, and K.T. O'Reilly. *Single-Well, "Push-Pull" Test for In Situ Determination of Microbial Activities*. v. 35, no. 4, pp. 619-631.

Jamet, Ph., P.D. Sampson, and F. Vincent. *Statistical Evaluation of the Vulnerability of Ground-Water Wells. A Case Study of Data from the Strasbourg Polygone Pumping Field*. v. 35, no. 3, pp. 427-435.

Jiao, Jiu J. *Investigation of Possible Extra Recharge During Pumping in Nottingham Aquifer*. (v. 34, no. 5, pp. 795-800.) Discussion by M.W. Kawecki, and Reply by author. v. 35, no. 4, p. 562.

Jiao, J.J. and C. Zheng. *The Different Characteristics of Aquifer Parameters and Their Implications on Pumping-Test Analysis*. v. 35, no. 1, pp. 25-29.

Jin, M., G.W. Butler, R.E. Jackson, P.E. Mariner, J.F. Pickens, G.A. Pope, C.L. Brown, and D.C. McKinney. *Sensitivity Models and Design Protocol for Partitioning Tracer Tests in Alluvial Aquifers*. v. 35, no. 6, pp. 964-972.

Johannesson, K.H., K.J. Stetzenbach, V.F. Hodge, D.K. Kreamer, and X. Zhou. *Delineation of Ground-Water Flow Systems in the Southern Great Basin Using Aqueous Rare Earth Element Distributions*. v. 35, no. 5, pp. 807-819.

Johnson, P.C., R.L. Johnson, C. Neaville, E.E. Hansen, S.M. Stearns, and I.J. Dortch. *An Assessment of Conventional In Situ Air Sparging Pilot Tests*. v. 35, no. 5, pp. 765-774.

Jones, Michael A. *Computer Notes—NCF: A Finite-Element Computer Program to Simulate Ground-Water Flow Within the U.S. Geological Survey Modular Ground-Water Flow Model (MODFLOW)*. v. 35, no. 4, pp. 721-723.

Joshi, Bhaskar. Discussion of *Multiple Tracers of Shallow Ground-Water Flow and Recharge in Hilly Loess*, by R. O'Brien, C.K. Keller, and J.L. Smith. (v. 34, no.4, pp. 675-682.) Reply by authors. v. 35, no. 2, p. 194.

Kao, C.-M. and R.C. Borden. *Site-Specific Variability in BTEX Biodegradation Under Denitrifying Conditions*. v. 35, no. 2, pp. 305-311.

Karasaki, Kenzi. Review of book, *Rock Fractures and Fluid Flow*, by Jane Long (ed.). v. 35, no. 5, p. 919.

Katz, B.G., T.B. Coplen, T.D. Bullen, and J. H. Davis. *Use of Chemical and Isotopic Tracers to Characterize the Interactions Between Ground Water and Surface Water in Mantled Karst*. v. 35, no. 6, pp. 1014-1028.

Kawecki, M.W. Discussion of *Investigation of Possible Extra Recharge During Pumping in Nottingham Aquifer*, by Jiu J. Jiao. (v. 34, no. 5, pp. 795-800.) Reply by author. v. 35, no. 4, p. 562.

Keeney, Dennis. Review of book, *Nitrates in Groundwater*, by Larry A. Canter. v. 35, no. 5, p. 919.

Kladias, M.P. and G.J. Ruskauff. *Computer Notes—Implementing Spatially Variable Anisotropy in MODFLOW*. v. 35, no. 2, pp. 368-370.

Knox, R.C., D.A. Sabatini, J.H. Harwell, R.E. Brown, C.C. West, F. Blaha, and C. Griffin. *Surfactant Remediation Field Demonstration Using a Vertical Circulation Well*. v. 35, no. 6, pp. 948-953.

Kolpin, D.W., S.J. Kalkhoff, D.A. Goolsby, D.A. Sneck-Fahrer, and E.M. Thurman. *Occurrence of Selected Herbicides and Herbicide Degradation Products in Iowa's Ground Water, 1995*. v. 35, no. 4, pp. 679-688.

Krabbenhoft, David P. Review of book, *Chemical and Isotopic Groundwater Hydrology; The Applied Approach*, by Emanuel Mazor. v. 35, no. 5, p. 920.

Lang, M.M., P.V. Roberts, and L. Semprini. *Model Simulations in Support of Field Scale Design and Operation of Bioremediation Based on Cometabolic Degradation*. v. 35, no. 4, pp. 565-573.

Leake, S.A. and P.A. Mock. Technical Commentary—*Dimensionality of Ground Water Flow Models*. v. 35, no. 6, p. 930.

Leij, F.J., W.B. Russell, and S.M. Lesch. *Closed-Form Expressions for Water Retention and Conductivity Data*. v. 35, no. 5, pp. 848-858.

Lesage, S., Hao Xu, and K.S. Novakowski. *Distinguishing Natural Hydrocarbons from Anthropogenic Contamination in Ground Water*. v. 35, no. 1, pp. 149-160.

Lessoff, S.C. and L.F. Konikow. *Ambiguity in Measuring Matrix Diffusion with Single-Well Injection/Recovery Tracer Tests*. v. 35, no. 1, pp. 166-176.

Mace, Robert E. *Determination of Transmissivity from Specific Capacity Tests in a Karst Aquifer*. v. 35, no. 5, pp. 738-742.

Martin-Hayden, J.M. and G.A. Robbins. *Plume Distortion and Apparent Attenuation Due to Concentration Averaging in Monitoring Wells*. v. 35, no. 2, pp. 339-346.

Mas-Pla, J., T.-C.J. Yeh, T.M. Williams, and J.F. McCarthy. *Analyses of Slug Tests and Hydraulic Conductivity Variations in the Near Field of a Two-Well Tracer Experiment Site*. v. 35, no. 3, p. 492-501.

Mau, D.P. and T.C. Winter. *Estimating Ground-Water Recharge from Streamflow Hydrographs for a Small Mountain Watershed in a Temperate Humid Climate, New Hampshire, USA*. v. 35, no. 2, pp. 291-304.

McCray, J.E. and R.W. Falta. *Numerical Simulation of Air Sparging for Remediation of NAPL Contamination*. v. 35, no. 1, pp. 99-110.

McKay, Larry D. Review of book, *Principles of Contaminant Hydrogeology, 2nd Ed.*, by C.M. Palmer, v. 35, no. 4, p. 731.

McKay, L.D., P.L. Stafford, and L.E. Toran. *EPM Modeling of a Field-Scale Tritium Tracer Experiment in Fractured, Weathered Shale*. v. 35, no. 6, pp. 997-1007.

Mew Jr., H.E., M.A. Medina Jr., R.C. Heath, K.H. Reckhow, and T.L. Jacobs. *Cost-Effective Monitoring Strategies to Estimate Mean Water Table Depth*. v. 35, no. 6, pp. 1089-1096.

Michalski, A. and R. Britton. *The Role of Bedding Fractures in the Hydrogeology of Sedimentary Bedrock—Evidence from the Newark Basin, New Jersey*. v. 35, no. 2, pp. 318-327.

Modica, E., T.E. Reilly, and D.W. Pollock. *Patterns and Age Distribution of Ground-Water Flow to Streams*. v. 35, no. 3, pp. 523-537.

Moore, Gerald K. *Quantification of Ground-Water Flow in Fractured Rock, Oak Ridge, Tennessee*. v. 35, no. 3, pp. 478-482.

Morin, R.H., G.B. Carleton, and S. Poirier. *Fractured-Aquifer Hydrogeology from Geophysical Logs; The Passaic Formation, New Jersey*. v. 35, no. 2, pp. 328-338.

Nativ, R., A. Halleran, and A. Hunley. *Evidence for Ground-Water Circulation in the Brine-Filled Aquitard, Oak Ridge, Tennessee*. v. 35, no. 4, pp. 647-659.

Nobi, N. and A. Das Gupta. *Simulation of Regional Flow and Salinity Intrusion in an Integrated Stream-Aquifer System in Coastal Region: Southwest Region of Bangladesh*. v. 35, no. 5, pp. 786-796.

Nordstrom, D. Kirk. Review of book, *Aqueous Environmental Geochemistry*, by Donald Langmuir. v. 35, no. 5, p. 919.

O'Brien, R., C.K. Keller, and J.L. Smith. *Multiple Tracers of Shallow Ground-Water Flow and Recharge in Hilly Loess*. (v. 34, no. 4, pp. 675-682.) Discussion by Bhaskar Joshi, and Reply by authors. v. 35, no. 2, p. 194.

Onysko, S.J. and R.L. McNearny. *Computer Notes—GIBBTEQ: A MINTEQA2 Thermodynamic Data Error Detection Program*. v. 35, no. 5, pp. 912-914.

Osiensky, J.L. and R.E. Williams. *Potential Inaccuracies in MODFLOW Simulations Involving the SIP and SSOR Methods for Matrix Solution*. v. 35, no. 2, pp. 229-232.

Padilla, F. and J. Cruz-Sanjulián. *Modeling Sea-Water Intrusion with Open Boundary Conditions*. v. 35, no. 4, pp. 704-712.

Parker, B.L., D.B. McWhorter, and J.A. Cherry. *Diffusive Loss of Non-Aqueous Phase Organic Solvents from Idealized Fracture Networks in Geologic Media*. v. 35, no. 6, pp. 1077-1088.

Pérez E.S. *Estimation of Basin-Wide Recharge Rates Using Spring Flow, Precipitation, and Temperature Data*. v. 35, no. 6, pp. 1058-1065

Pittenger, R. and J.S. Reichard. *Computer Notes—Computer Determination of Aquifer Parameters Using Slope Matching*. v. 35, no. 3, pp. 546-550.

Podgorney, R.K. and R.W. Ritzi Jr. *Capture Zone Geometry in a Fractured Carbonate Aquifer*. v. 35, no. 6, pp. 1040-1049.

Poeter, E.P. and M.C. Hill. *Inverse Models: A Necessary Next Step in Ground-Water Modeling*. v. 35, no. 2, pp. 250-260.

Rasmussen, T.C. and L.A. Crawford. *Identifying and Removing Barometric Pressure Effects in Confined and Unconfined Aquifers*. v. 35, no. 3, pp. 502-511.

Remenda, V.H. and G. van der Kamp. *Contamination from Sand-Bentonite Seal in Monitoring Wells Installed in Aquitards*. v. 35, no. 1, pp. 39-46.

Robineau, B., M. Ritz, M. Courteaud, and M. Descloitres. *Electromagnetic Investigations of Aquifers in the Grande Brulé Coastal Area of Piton de la Fournaise Volcano, Reunion Island*. v. 35, no. 4, pp. 585-592.

Rosen, L. and H.E. LeGrand. *An Outline of a Guidance Framework for Assessing Hydrogeological Risks at Early Stages*. v. 35, no. 2, pp. 195-204.

Ross, D. L. *Multivariate Statistical Analysis of Environmental Monitoring Data*. v. 35, no. 6, pp. 1050-1057.

Sabatini, D.A., R.C. Knox, J.H. Harwell, T. Soerens, L. Chen, R.E. Brown, and C.C. West. *Design of a Surfactant Remediation Field Demonstration Based on Laboratory and Modeling Studies*. v. 35, no. 6, pp. 954-963.

Saines, Marvin. Review of book, *Water Well and Aquifer Test Analyses*, by Phil Hall with computer programs by Joe Chen. v. 35, no. 3, pp. 552-554.

Sale, Tom and David Applegate. *Mobile NAPL Recovery: Conceptual, Field, and Mathematical Considerations*. v. 35, no. 3, pp. 418-426.

Sander, P., T.B. Minor, and M.M. Chesley. *Ground-Water Exploration Based on Lineament Analysis and Reproducibility Tests*. v. 35, no. 5, pp. 888-894.

Sanford, Ward E. *Correcting for Diffusion in Carbon-14 Dating of Ground Water*. v. 35, no. 2, pp. 357-361.

Scaturo, D.M. and M.A. Widdowson. *Experimental Evaluation of a Drive-Point Ground-Water Sampler for Hydraulic Conductivity Measurement*. v. 35, no. 4, pp. 713-720.

Schroth, B. and T.N. Narasimhan. *Technical Notes—Application of a Numerical Model in the Interpretation of a Leaky Aquifer Test*. v. 35, no. 2, pp. 371-375.

Selroos, Jan-Olof. *A Stochastic-Analytical Framework for Safety Assessment of Waste Repositories: 1. Theory*. v. 35, no. 3, pp. 468-477.

Selroos, Jan-Olof. *A Stochastic-Analytical Framework for Safety Assessment of Waste Repositories: 2. Application*. v. 35, no. 5, pp. 775-785.

Serrano, Sergio E. *The Theis Solution in Heterogeneous Aquifers*. v. 35, no. 3, pp. 463-467.

Shackelford, C.D. and M.J. Glade. *Analytical Mass Leaching Model for Contaminated Soil and Soil Stabilized Waste*. v. 35, no. 2, pp. 233-242.

Shen, H. and N.P. Nikolaidis. *A Direct Substitution Method for Multi-component Solute Transport in Ground Water*. v. 35, no. 1, pp. 67-78.

Slater, L.D., A. Binley, and D. Brown. *Electrical Imaging of Fractures Using Ground-Water Salinity Change*. v. 35, no. 3, pp. 436-442.

Sophocleous, Marios. Editorial—*Managing Water Resources Systems: Why "Safe Yield" Is Not Sustainable*. v. 35, no. 4, p. 561.

Stoessel, Ronald K. *Delineating the Chemical Composition of the Salinity Source for Saline Ground Waters: An Example from East-Central Concordia Parish, Louisiana*. v. 35, no. 3, pp. 409-417.

Stone, Andrew W. Editorial—*Are There Tax Dollars in Your Water?* v. 35, no. 3, p. 385.

Stute, M., J. Deák, K. Révész, J.K. Böhlke, É. Deseö, R. Weppernig, and P. Schlosser. *Tritium/^{3}He Dating of River Infiltration: An Example from the Danube in the Szigetköz Area, Hungary*. v. 35, no. 5, pp. 905-911.

Sukhija, B.S., D.V. Reddy, M.V. Nandakumar, and Rama. *A Method for Evaluation of Artificial Recharge Through Percolation Tanks Using Environmental Chloride*. v. 35, no. 1, pp. 161-165.

Taylor, S.W., Clifford R. Lange, and E.A. Lesold. *Biofouling of Contaminated Ground-Water Recovery Wells: Characterization of Microorganisms*. v. 35, no. 6, pp. 973-980.

Tesoriero, A.J. and F.D. Voss. *Predicting the Probability of Elevated Nitrate Concentrations in the Puget Sound Basin: Implications for Aquifer Susceptibility and Vulnerability*. v. 35, no. 6, pp. 1029-1039.

Waddill, D.W. and J.C. Parker. *A Semianalytical Model to Predict Recovery of Light, Nonaqueous Phase Liquids from Unconfined Aquifers*. v. 35, no. 2, pp. 280-290.

Waddill, D.W. and J.C. Parker. *Simulated Recovery of Light, Nonaqueous Phase Liquid from Unconfined Heterogeneous Aquifers*. v. 35, no. 6, pp. 938-947.

Walker, D.D. and J.C. Loftis. *Alternative Spatial Estimators for Ground-Water and Soil Measurements*. v. 35, no. 4, pp. 593-601.

Wang, M. and C. Zheng. *Optimal Remediation Policy Selection Under General Conditions*. v. 35, no. 5, pp. 757-764.

Wang, Zhonghe and Keith Clarey. Discussion of *In Situ Hydraulic Conductivity of Clay and Silty-Clay Fluvial-Deltaic Sediments, Texas Gulf Coast*, by R.M. Capuano and R.Z. Jan. (v. 34, no. 3, pp. 545-551.) Reply by authors. v. 35, no. 1, pp. 2-4.

Wendling, G., R.P. Chapuis, and D.E. Gill. *Quantifying the Effects of Well Development in Unconsolidated Material*. v. 35, no. 3, pp. 387-393.

Whitaker, F.F. and P.L. Smart. *Climatic Control of Hydraulic Conductivity of Bahamian Limestones*. v. 35, no. 5, pp. 859-868.

Williams, John H. Review of book, *Aquifer Test Analysis with WINDOWS® Software*, by William C. Walton. v. 35, no. 4, pp. 730-731.

Wood, Warren W. Editorial—*Fluxes: A New Paradigm for Geologic Education?* v. 35, no. 1, p. 1.

Wood, Warren W. Editorial—*Tenure Now!* v. 35, no. 2, p. 193.

Wood, Warren W. Editorial—*To Boldly Go!* v. 35, no. 5, p. 737.

Wood, Warren W., K.A. Rainwater, and D.B. Thompson. *Quantifying Macropore Recharge: Examples from a Semi-Arid Area*. v. 35, no. 6, pp. 1097-1106.

Wright, K.R., G.D. Witt, and A.V. Zegarra. *Hydrogeology and Paleohydrology of Ancient Machu Picchu*. v. 35, no. 4, pp. 660-666.

Xiang, Y. and S. Mishra. *Probabilistic Multiphase Flow Modeling Using the Limit-State Method*. v. 35, no. 5, pp. 820-824.

Xun, Zhou, Li Cijun, Ju Xiumin, Du Qiang, and Tong Lihong. *Origin of Subsurface Brines in the Sichuan Basin*. v. 35, no. 1, pp. 53-58.

Yang, Y. Jeffery and Todd M. Gates. *Wellbore Skin Effect in Slug-Test Data Analysis for Low-Permeability Geologic Materials*. v. 35, no. 6, pp. 931-937.

Zhu, Xue-Yu, Shao-Hui Xu, Jun-Jie Zhu, Nian-Qing Zhou, and Chun-Yin, Xu. *Study on the Contamination of Fracture-Karst Water in Boshan District, China*. v. 35, no. 3, pp. 538-545.

Zlotnik, Vitaly A. *Effects of Anisotropy on the Capture Zone of a Partially Penetrating Well*. v. 35, no. 5, pp. 842-847.